

NASLOV: DOKUMENTACIJA ZA IZRADU WI-FIINTERPRETACIJE (INSTALACIJE) U PROSTORU


Naručitelj: Ministarstvo turizma RH

Kreativno i tehničko rješenje izradio: McCann Zagreb

Znak „Hotspot Croatia” – instalacija u prostoru

- Integracija lokacije centralno u zaglavlje znaka, manji „free wi-fi” znak na lijevom gornjem kutu prozora i centralno postavljen naziv ispod okvira

- na desnoj strani nalazi se QR kod koji vodi na web stranicu destinacije



Znak „Hotspot Croatia” – instalacija u prostoru

Druga strana

- na desnoj strani, umjesto QR koda, nalazi se slogan HTZ-a „Visit Croatia, share Croatia.”



Definicija tipografije i veličine elemenata

IME GRADA NA FRONTI
VELIČINA SLOVA

GOTHAM BOOK 223/228 pt
12pt outline / rounded



QR KOD
160 x160mm

IME GRADA UNUTARNJA STRANA OKVIRA
VELIČINA SLOVA

GOTHAM BOOK 160/172 pt
10pt outline / rounded

Sveti Vincenat
Vinodolski

QR kod

- vodi na web stranicu destinacije – automatsko povezivanje na destinacijsku stranicu lokacije

QR kod



Fotografiranje destinacije

Fotografiranje kroz instalaciju omogućava turistima da imaju lijepu uokvirenu uspomenu sa turističke lokacije koju su posjetili.



Upute

- pločica s uputama za korištenje nalazi se s unutrašnje strane okvira instalacije.
- kroz jednostavna 3 koraka informira korisnika o načinu korištenja i sugerira dijeljenje fotografije na društvenim mrežama

Upute za korištenje



Postolje

Znak je postavljen na postolje koje omogućuje rotaciju znaka.

Na ovaj način puno se bolje može iskoristiti mogućnost fotografiranja lokacije i znamenitosti kojima je okružena.



HOTSPOT CROATIA

TEHNIČKA DOKUMENTACIJA

Izrada

Materijal:

Lijevano u fibreglasu i armirano staklenim vlaknima -
debljina stjenke 5mm


Željezna konstrukcija četvrtastog profila debljine stjenke
2mm.

Postolje je učvršćeno sa četiri vijka i na spoju sa vertikalnim
cilindrom ima ugrađene kuglične ležajeve.

Završna obrada brušeno , polirano lakirano auto lakom u
dogovoreni ton (Pantone185C, RGB 225/25/25)

Masa: model se po izradi može jednostavno premještati
ukoliko je to potrebno. Jednostavno se odvoje vijci koji ga
fiksiraju na definiranoj podlozi i model se može premjestiti.

Procjena ukupne mase je cca 40-50 kg.




Znak - presjek

Pločica za naziv destinacije



Pločica s uputama za korištenje



Postolje sa kugličnim
ležajevima za rotaciju znaka









Znak - presjek

Željezna konstrukcija četvrtastog profila





Pločica s uputama za korištenje

Postolje sa kugličnim ležajevima za rotaciju znaka









UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:				FINISH:	DEBUR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	REVISION
DRAWN	NAME	SIGNATURE	DATE			TITLE:	
CHKD							
APPVD							
MFG							
Q.A					MATERIAL:	DWG NO.	Assemfull
						SCALE:1:30	A3
					WEIGHT:	SHEET 1 OF 1	



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS		FINISH:		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
SURFACE FINISH:		TOLERANCES:		LINEAR:		ANGULAR:		TITLE:	
DRAWN	NAME	SIGNATURE	DATE						
CHKD									
APPVD									
MFG									
Q.A.						MATERIAL:			
						WEIGHT:		SCALE:1:20	SHEET 1 OF 1

POSTOLJE i metalna konstrukcija



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS		FINISH:		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
SURFACE FINISH:									
TOLERANCES:									
LINEAR:									
ANGULAR:									
DRAWN	NAME	SIGNATURE	DATE			TITLE:			
CHKD									
APPVD									
MFG									
Q.A.					MATERIAL:				
					WEIGHT:	SCALE:1:20		SHEET 1 OF 1	

POSTOLJE i metalna konstrukcija

Znak – finalni 3D model

